

ARROW

SEGA CIRCOLARE



PRODUCT CATALOG 2026

○ CIRCULAR SAW BLADES ○

- *Lunga durabilità*
- *Tecnologia delle vibrazioni*
- *Taglio più fluido*
- *Long Durability*
- *Vibration Technology*
- *Smoother Cutting*


ARROW

SEGA CIRCOLARE

AHŞAP TESTERELERİ

Elmas Uçlu Atlamalı Dişli Ahşap Daire Testereleri

Carbide Diamond Tipped Precision Circular Saw Blade.





Ürün kodu	Çap	Kalınlık	Delik	Diş Sayısı	Euro
RP200.20.01	200	3,0	30	20	53
RP250.24.01	250	3,2	30	24	57
RP300.28.01	300	3,2	30	28	65
RP350.32.01	350	3,6	30	32	105
RP400.36.01	400	4,0	30	36	145
RP450.42.01	450	4,0	30	42	160
RP500.48.01	500	4,0	30	48	180
RP550.48.01	550	4,0	30	48	200
RP600.56.01	600	4,0	30	56	210
RP600.56.02	600	4,4	30	56	225

* Özel ölçüler için iletişime geçebilirsiniz.

Ahşap ve Sunta Kesiminde Kullanılan Elmas Uçlu Gönyemele Testereleri

Carbide Diamond Tipped Cross Mitre Cut Blades For Wood and Chipboard




Ürün kodu	Çap	Kalınlık	Delik	Diş Sayısı	Euro
HW235.48.01	235	3,2	70 - 75	48	85
HW250.40.01	250	3,2	30	40	83
HW250.48.01	250	3,2	30-70-75	48	87
HW300.48.01	300	3,2	30	48	91
HW300.60.01	300	3,2	30	60	105
HW300.72.01	300	3,2	30	72	110
HW300.96.01	300	3,2	30	96	120
HW350.54.01	350	3,6	30	54	135
HW350.72.01	350	3,6	30	72	165
HW350.108.01	350	3,6	30	108	178
HW400.60.01	400	4,0	30	60	175
HW400.72.01	400	4,0	30	72	190
HW400.96.01	400	4,0	30	96	200
HW400.120.01	400	4,0	30	120	235
HW450.54.01	450	4,0	30	54	180
HW450.72.01	450	4,0	30	72	210
HW500.60.01	500	4,0	30	60	210
HW500.72.01	500	4,0	30	72	220
HW500.72.02	500	5,0	30	72	260
HW500.72.03	500	6,0	30	72	285
HW550.72.01	550	4,0	30	72	240
HW550.72.02	550	5,0	30	72	285
HW600.72.01	600	4,4	30	72	295

* Özel ölçüler için iletişime geçebilirsiniz.

Soğutma Boşluklu Çoklu Dilimleme Testereleri

Multi-Ripping Saw with open and closed HW-tipped strobes



Ürün kodu	Çap	Kalınlık	Delik	Diş Sayısı	İç-Diş Soket	Euro
MRP250.20.02	250	3,2	70 - 75	20	2+2	110
MRP300.24.02	300	3,2	70 - 75	24	2+2	125
MRP320.24.01	320	3,5	70 - 75	24	2+2	130
MRP350.28.02	350	3,8	70 - 75	28	2+2	135
MRP400.32.01	400	4,0	70 - 75	32	4+2	190
MRP450.32.02	450	5,0	70 - 75	32	4+2	235
MRP500.32.01	500	5,0	70 - 75	32	4+2	285
MRP550.32.01	550	5,0	70 - 75	32	4+2	340
MRP600.36.01	600	6,0	70 - 75	36	6+2	420
MRP650.36.01	650	6,0	70 - 75	36	6+2	450
MRP700.36.01	700	6,0	70 - 75	36	6+4	500

* Özel ölçüler için iletişime geçebilirsiniz.


ARROW

SEGA CIRCOLARE

MDF VE LAMİNANT TESTERELERİ

TCG dişli Elmas Uçlu Hassas Kesim Daire Testereler

Ultra Fine Finishing Saw Blades with Triple Chip Ground Tooth



Ürün kodu	Çap	Kalınlık	Delik	Diş Sayısı	Euro
TCG200.64.01	200	2,0	30	64	90
TCG250.80.01	250	2,0	30	80	100
TCG250.80.02	250	3,2	30	80	100
TCG300.96.01	300	2,0	30	96	120
TCG300.96.02	300	3,2	30	96	120
TCG350.108.01	350	3,6	30	108	175
TCG400.120.01	400	4,0	30	120	240
TCG450.120.01	450	4,0	30	120	290

Ürün kodu	Çap	Kalınlık	Delik	Diş Sayısı	Euro
SCR125.24.01	125	2,8/3,8	20	24	65
SCR125.24.02	125	3,0/4,0	20	24	65
SCR125.24.03	125	3,2/4,2	20	24	65
SCR150.36.01	150	3,0/4,0	20-30	36	75
SCR160.24.01	160	3,0/4,0	20-30	24	72

Ürün kodu	Çap	Kalınlık	Delik	Diş Sayısı	Euro
AP200.64.01	200	2,0	30 - 32	64	90
AP210.64.01	210	2,0	30	64	90
AP230.64.01	230	3,2	30	64	100
AP230.72.01	230	3,2	30	72	105
AP250.80.01	250	2,0	30	80	100
AP250.80.02	250	3,2	30	80	100
AP300.96.01	300	2,0	30	96	119
AP300.96.02	300	3,2	30 - 32	96	119
AP350.96.01	350	3,6	30	96	170
AP350.108.01	350	3,6	30 - 32	108	175
AP380.110.01	380	3,6	32	110	210
AP400.72.01	400	4,0	30 - 32	72	182
AP400.96.01	400	4,0	30 - 32	96	200
AP400.108.01	400	4,0	30 - 32	108	215
AP400.120.01	400	4,0	30 - 32	120	232
AP420.80.01	420	2,8	30 - 32	80	195
AP420.96.01	420	4,0	30 - 32	96	230
AP420.108.01	420	4,0	30 - 32	108	255
AP420.120.01	420	4,0	30 - 32	120	265
AP450.72.01	450	4,0	30	72	218
AP450.96.01	450	4,0	30	96	240
AP450.108.01	450	4,0	30 - 32	108	260
AP450.120.01	450	4,0	30 - 32	120	275
AP500.72.01	500	4,0	30	72	220
AP500.96.01	500	4,0	30	96	245
AP500.108.01	500	4,0	30	108	275
AP500.120.01	500	4,0	30 - 32	120	293
AP550.68.01	550	4,4	50	68	300
AP550.72.01	550	4,4	30	72	310
AP550.96.01	550	4,4	30	96	350
AP550.120.01	550	4,4	30 - 32	120	420
AP600.72.01	600	4,4	50	72	325
AP600.96.01	600	4,4	30	96	380
AP600.120.01	600	4,4	30 - 32	120	450
AP600.144.01	600	4,4	30 - 32	144	500
AP600.160.01	600	4,4	30 - 32	160	550

ALÜMİNYUM VE PVC TESTERELERİ


Elmas Uçlu Alüminyum ve PVC için Daire Testereler

Carbide Diamond Tipped Saw Blades for Aluminium and PVC




Negatif dişli: Değişik malzeme kalınlıkları olan sac Alüminyum Profil boru ve çubukların kesiminde özellikle kullu makineler için uygundur.

With negative tooth: These saw blades are used in cutting of what having various thicknesses of sheet metals, bars, pipe, aluminum hollow sections and especially appropriate at the sleeved machines.



Pozitif dişli: Malzeme kalınlığı 5 mm'den yukarı olan Alüminyum Profil borular ve çubukların kesiminde otomatik makinelerde tavsiye edilir.

With positive tooth: These saw blades are advised in cutting for bars, aluminum hollow pipes that materials have over 5 mm thickness especially at the automatic machines.



ARROW

SEGA CIRCOLARE



www.arrowsaw.com